

Trinity Radionics Quantum and Radial Cards

Practitioner Manual

A grounded practitioner workflow for witness-based reader, plate, carrier, plant, water, space, and passive card use.

This manual adapts established radionics, radiesthesia, card-slot, witness-plate, carrier-preparation, copying, and distant-session patterns to the Trinity Radionics Quantum and Radial Cards project.

Quantum Cards are Trinity's native glyph-field style. Radial Cards use the same focus and rates in a circular reader-compatible layout. Treat both as card-format symbolic/radionic patterns used with a witness, reader, plate, carrier, or intention statement.

Do not present Trinity Radionics cards as original third-party system cards or as affiliated with any external card system.

These cards are not medical devices, diagnostic tools, pharmaceuticals, or replacements for qualified care.

1. What Is Documented About Card Use Today

Modern symbolic/radionic card practice uses cards in these main ways:

- Analysis
- The practitioner uses symbolic/radionic cards and an analyser-style method to build a picture of the subject's energetic condition.
- The classical sequence is Location, Factor, Correction.
- Distant or broadcast session
- A witness is used for the person, animal, plant, place, or subject.
- The selected card is placed into a card slot, plate, or instrument position.
- The card pattern is run toward the witness for a set time.
- Carrier-style preparation
- A selected card or source pattern is used to imprint or "print" a symbolic carrier.
- Carriers used in the source practice include water, water-alcohol solution, sac-lac/sugar pills, tablets, and rice paper.
- Copying
- Some instruments copy an existing carrier or source pattern into another carrier.
- Direct mode is used as a 1:1 transfer in some instruments.
- Multi-card work
- Some modern card instruments allow several cards or session elements to be used at once.
- Cards may be used alongside written rates, text, symbols, photographs, X-rays, crystals, remedies, herbs, or mounted sources, depending on the instrument.
- Pendulum/radiesthetic checking
- Practitioners use a pendulum to select cards, check positions, check progress, or check whether a session is complete.
- Witness work
- Hair samples are a common witness in published radionics instructions.
- Photos, written names, biological samples, maps, or other representations may also be used depending on the practitioner and device.

This manual does not invent a new metaphysical system. It adapts those working patterns to the Trinity Radionics Quantum and Radial Cards.

2. What a Trinity Radionics Quantum or Radial Card Is

A Trinity Radionics Quantum or Radial Card is a printed card carrying a generated symbolic/radionic pattern. In project terms, the card may contain radial geometry, glyphs, rates, symbolic codes, or analyzer-derived numerical/visual structure.

For practical use, treat each card as one of the following:

- a card-source pattern
- a symbolic rate card
- a reader-compatible field card
- a carrier-preparation source
- a broadcast source
- a witness-support card
- a plant, water, space, or personal-field card

The card is not the same thing as a physical herb, mineral, medicine, or chemical substance. It is handled as an information-pattern source.

3. Practitioner Position

Work quietly and precisely.

The practitioner's job is to:

- Identify the witness.
- State the aim.
- Select the card.
- Check whether the card is appropriate.
- Choose the delivery method.
- Run or prepare for a defined time.
- Close the session.
- Record what was done.

Do not turn the work into theatre. Do not stack cards to look impressive. Do not make medical promises.

4. Equipment

Minimum setup

- Trinity Radionics Quantum or Radial Card
- Witness
- Clean table
- Notebook or digital log
- Timer
- Pendulum, if used

Reader or plate setup

- Trinity Radionics card reader or radial card reader
- Witness plate or witness position
- Output plate or carrier position
- Card slot or card source position
- Optional pulse/interrupter function if the device uses broadcast mode

Carrier-style setup

- Glass vial
- Distilled water or water-alcohol mix
- Sac-lac/sugar pills or rice paper, if used
- Label

- Timer
 - Clean storage box
- Project app setup**

- Card ID
- Card title
- Category
- Intention/purpose
- Rate source or generator source
- Version
- Rendering mode
- Date created
- Session log

5. The Witness

The witness is the link. Without a clear witness, the work is unfocused.

Human witness

Use one of the following:

- Hair sample
- Written full name and date of birth
- Recent photograph
- Handwriting sample
- Personal object

Animal witness

Use one of the following:

- Hair, feather, or fur sample
- Photograph
- Name and owner details

Plant witness

Use one of the following:

- Leaf sample
- Soil sample
- Photograph
- Pot label
- Written plant name and location

Space witness

Use one of the following:

- Room photo
- Address
- Floor plan
- Map
- Written room description

Water or object witness

Use one of the following:

- the actual bottle, vial, object, or material
- a labelled sample
- a written description if the object cannot be placed on the plate

Witness handling rules

- Keep each witness separate.
- Put hair or biological samples in a small envelope or sealed bag.
- Label the witness before starting.
- Remove the witness when finished.
- Do not leave old witnesses on the reader or plate.

6. The Aim

Write the aim before selecting the card.

Use short, practical working aims:

- "Run card Q-014 with the plant witness for vitality support."
- "Prepare a water carrier from card Q-022."
- "Check whether card Q-101 is appropriate for this space-clearing session."
- "Use card Q-008 as a direct-mode source in the reader."
- "Test which card is the correction card for the stated witness."

Avoid aims that are too broad:

- "Fix everything."
- "Cure this disease."
- "Force this person to change."
- "Remove all problems."

The aim tells the work where to go.

7. The Location, Factor, Correction Method

Use the Location, Factor, Correction structure when the session is analytical.

Location

Where is the pattern showing?

Examples:

- person
- animal
- plant
- room
- water carrier
- project
- emotional field
- digestive area
- sleep pattern
- root system

Factor

What type of pattern is being checked?

Examples:

- stress
- stagnation
- exhaustion
- agitation
- dryness
- weakness
- environmental burden
- disharmony
- overactivity

Correction

Which Trinity Radionics Quantum or Radial Card is to be used?

Examples:

- grounding card
- vitality card
- clearing card
- water-structuring card
- plant-support card
- calm-focus card
- harmonising card
- integration card

Practical sequence

- Place the witness.
- Write the aim.
- Check the location category.
- Check the factor category.
- Check candidate cards.
- Select the correction card.
- Recheck the final set.
- Choose broadcast, carrier preparation, copying, or passive placement.

This keeps the work structured.

8. Card Selection

Direct selection

Use this when the card title already matches the aim.

Example:

- Aim: plant vitality support
- Card: Plant Vitality card

Still check whether the card is appropriate for that witness today.

Pendulum selection

Use a pendulum over the card, a category list, or the reader plate.

Ask one question at a time:

- "Is this card relevant to the witness today?"
- "Is this card the primary card?"
- "Should this card be run now?"
- "Should this card be prepared into a carrier?"
- "Should this card be used in direct mode?"
- "Is the session complete?"

Do not ask loaded questions.

Avoid:

- "Will this cure it?"
- "Is this guaranteed?"
- "Should the person stop medication?"
- "Does this prove disease?"

Elimination selection

When there are many cards:

- Check the category.
- Check the subcategory.
- Check the exact card.

- Recheck the card against the witness.
- Recheck the card against the aim.

Final check

Before running anything, check:

- Is this card appropriate now?
- Is the witness correct?
- Is this a broadcast session, carrier preparation, or passive placement?
- Is one card enough?
- Is the time correct?

9. One-Card Reader Protocol

Use this as the default protocol.

Use when

- the subject is sensitive
- the card is new
- the witness is new
- the aim is simple
- the practitioner is still testing the card library

Procedure

- Clear the reader or plate.
- Place the witness in the witness position.
- Insert or place one Trinity Radionics Quantum or Radial Card in the card/source position.
- Write the aim.
- Check that the card is appropriate.
- Select mode:
 - broadcast
 - direct
 - carrier preparation
 - passive plate contact
- Set a timer.
- Run the session.
- Stop on time.
- Remove the card.
- Remove the witness.
- Record the session.

Starting times

Use conservative timing.

- sensitive person: 1 to 3 minutes
- normal first session: 3 to 7 minutes
- plant: 7 to 15 minutes
- room or space: 10 to 20 minutes
- water carrier: 5 to 15 minutes unless the device manual states otherwise

Do not extend the session because nothing dramatic happens.

10. Three-Card Protocol

Use this when you want a structured three-card working sequence.

Card order

- Location card
- Factor card
- Correction card

Example for plant work

- Plant Witness / Plant Field
- Root Weakness / Water Balance Factor
- Plant Vitality card

Example for space work

- Room Atmosphere
- Stagnation
- Clearing and Grounding card

Procedure

- Place the witness.
- Write the aim.
- Select the location card.
- Select the factor card.
- Select the correction card.
- Check the set as one unit.
- Remove any card that weakens the set.
- Run the session or prepare the carrier.
- Close and log.

Three cards are enough for most work.

11. Multi-Card Protocol

Some current instruments allow up to eight session cards or elements. Use that capacity only when it serves the work.

Card order for up to eight slots

- Main correction card
- Supporting correction card
- Integration card
- Grounding card
- Environmental or witness-specific card
- Optional carrier-specific card
- Optional stabilising card
- Optional project-specific card

Rule

Every card must have a job. If you cannot say why it is there, remove it.

Multi-card check

Ask:

- Are all cards required?
- Is one card dominant?
- Is any card interfering?
- Should any slot be switched off?
- Should any card be run in direct mode instead of a reader-setting mode?
- Is the session too strong?

12. Broadcast-Style Session

Broadcast-style work means the card pattern is directed toward the witness for a set time.

Reader method

- Place the witness in the well, witness plate, or witness area.
- Insert the Trinity Radionics Quantum or Radial Card into the card slot.
- Select a reader setting or direct mode if the reader has controls.
- Use pulse/interrupter mode if the reader requires it for distant work.
- Start the session.
- Stop at the chosen time.
- Remove the witness and card.

Plate method

Use this for a simple SRI/MRI-style layout.

- Place the Trinity Radionics Quantum or Radial Card at one end or one region of the plate.
- Place the witness at the opposite end or assigned witness region.
- Check placement by pendulum if that is your method.
- Run for the chosen time.
- Check progress if appropriate.
- Close and remove everything.

Timing

Published SRI-style use allows long sessions, up to eight hours in a 24-hour period. For the Trinity Radionics Quantum and Radial Cards project, start shorter until the card library is tested.

Suggested working times:

- first human session: 3 to 7 minutes
- experienced user, familiar card: 7 to 20 minutes
- plant session: 15 to 30 minutes
- space session: 15 to 30 minutes
- long plate session: only after prior short testing

13. Carrier-Style Preparation / Synthesis

This is the documented carrier-preparation use most relevant to water, sac-lac, tablets, and rice paper.

Purpose

To prepare a carrier using the Trinity Radionics Quantum or Radial Card as the source pattern.

Carriers

Use clean, labelled carriers:

- distilled water
- water-alcohol solution
- sac-lac/sugar pills
- rice paper
- blank paper card
- tablet carrier, if appropriate to the system

Reader/potentiser method

- Place the card in the card/source slot.
- Place the carrier in the output well or carrier position.

- Select a reader setting, direct mode, or copy mode if the device provides it.
- Check whether the carrier is suitable.
- Run for the selected time.
- Remove and label the carrier.
- Log the card, carrier, time, mode, and purpose.

Plate method

- Place the card in the source region.
- Place the carrier in the output or "to" region.
- Use a timer.
- Keep the witness separate unless the preparation is made for a specific witness.
- Label the carrier immediately.

Label format

Use clear labels.

- Quantum or Radial Card Preparation
- Card: Q-022 Water Harmony
- Carrier: distilled water
- Mode: direct / reader setting / plate contact
- Time: 10 minutes
- Date:
- Prepared for:
- Use: symbolic/radionic carrier only

Do not leave unlabelled bottles or papers in the workspace.

14. Copying Protocol

Use copying only when the device supports it or when using a plate that has a clear source and carrier arrangement.

Source

The source may be:

- a Trinity Radionics Quantum or Radial Card
- an existing prepared carrier
- a written rate
- a symbol
- a photograph
- a sample mounted on card

Carrier

The carrier may be:

- water
- sac-lac/sugar pills
- rice paper
- blank card
- another suitable medium

Procedure

- Place the source in the FROM/source position.
- Place the carrier in the TO/output position.
- Select direct mode if a 1:1 copy is intended.
- Run for the selected time.
- Remove source and carrier.
- Label the carrier.

- Log the copy.

Do not call this a chemical transfer. It is a radionic pattern-copying procedure.

15. Direct Mode and Reader-Setting Mode

Some instruments provide direct mode and reader-setting selections.

Direct mode

Use direct mode when you want a 1:1 pattern transfer without setting modification.

Use cases:

- copying a source pattern
- transferring a Trinity Radionics Quantum or Radial Card pattern into a carrier
- broadcast where the card itself is intended to run without setting change

Reader-setting mode

Use reader-setting mode when the device method calls for a graduated or symbolically prepared carrier.

Use cases:

- carrier-style preparation
- gentle use for sensitive witnesses
- structured card synthesis

Practical rule

If you are not sure, use direct mode or a short plate session first. Do not overcomplicate the first run.

16. Plant Use

Plant use is consistent with current plate/radionics practice, which includes humans, animals, and plants.

Witness

Use one of:

- leaf sample
- soil sample
- plant photo
- pot label

Simple protocol

- Place the plant witness on the witness position.
- Place the Trinity Radionics Quantum or Radial Card in the card/source position.
- Use one card first.
- Run 7 to 15 minutes for first test.
- Observe the plant over several days.
- Continue normal plant care.

Carrier protocol

- Prepare water with a plant-support card.
- Label the water.
- Use it as part of ordinary watering.
- Track light, soil, pests, and moisture.

Do not blame the card if the plant needs water, soil, drainage, or pest care.

17. Water Use

Water preparation is directly aligned with documented carrier-style use.

Procedure

- Use a clean glass bottle or vial.
- Place the Trinity Radionics Quantum or Radial Card in the reader slot or source region.
- Place the water in the output/carrier position.
- Use direct mode or the selected reader setting.
- Run for the selected time.
- Label the bottle.
- Store separately.

Suggested first test

- one card
- distilled water
- direct mode
- 5 to 10 minutes
- clear label

Do not sell or describe the water as medical care.

18. Carrying a Card

Carrying a card is not the same as a reader or plate procedure. Treat it as passive personal-field use for the Trinity Radionics project, not as an instrument-based method.

Passive carry method

- Select one Trinity Radionics Quantum or Radial Card.
- Keep it clean and flat.
- Carry it in a sleeve, wallet, pouch, or card holder.
- Use one card at a time at first.
- Set a simple intention before carrying it.
- Remove it if it feels unsuitable or distracting.
- Log the date and observation.

Do not

- carry many cards at once without a reason
- sleep with strong cards before testing them
- use cards instead of medical care
- make guaranteed effect claims

For the project, present carrying as passive symbolic/radionic use, not as a verified reader method.

19. Aura or Personal-Field Practice

Use this carefully. Public symbolic/radionic sources discuss energetic field, witness work, broadcast, and radiesthetic session work. They do not provide a standardized "aura protocol" for Trinity Radionics Quantum and Radial Cards.

For the Trinity Radionics project, use the following as a restrained practitioner adaptation.

Simple protocol

- Select one card.
- Hold it near the body or place it on the reader with the person's witness.

- State the aim quietly.
- Use short time: 1 to 3 minutes at first.
- Stop and observe.
- Log the response.

Practical rule

Treat this as personal-field support, not medical care.

20. Space Use

Space work is supported by current radionics plate practice using witnesses, symbols, rates, and session elements.

Witness

Use one of:

- photo of the room
- address
- map
- floor plan
- written room description

Protocol

- Place the space witness on the plate or reader.
- Select one clearing, harmonising, or grounding card.
- Check whether the card is appropriate.
- Run 10 to 20 minutes for first session.
- Close and remove the witness.
- Physically clean, ventilate, and repair the room if needed.

Cards do not replace cleaning, ventilation, electrical repair, damp repair, or pest control.

21. Session Closing

Closing is part of the work.

Procedure

- Stop the timer or instrument.
 - Turn off card slots if applicable.
 - Remove the Trinity Radionics Quantum or Radial Card.
 - Remove the witness.
 - Remove or label the carrier.
 - Write "session closed" in the log.
 - Store the card separately.
 - Do not keep rechecking unless there is a clear reason.
- Leaving a witness on the reader after the session is poor practice.

22. Session Log

Use this for every session.

- Date:
- Start time:
- End time:
- Practitioner:
- Card ID:
- Card title:

- Card category:
- Witness:
- Aim:
- Method: reader / plate / broadcast / direct mode / reader setting / carrier preparation / copying / passive carry
- Carrier, if any:
- Mode or reader setting, if any:
- Session time:
- Pendulum check used:
- Cards used:
- Immediate observation:
- Follow-up observation:
- Other real-world changes:
- Close confirmed:
- Notes:

23. What to Put in the App Manual

Use grounded product language.

Accurate description

Trinity Radionics Quantum and Radial Cards are symbolic/radionic card patterns intended for reader-based work, witness work, passive carrying, water or carrier preparation, plant support, and space harmonisation within the Trinity Radionics system.

Avoid saying

- cures disease
- treats infection
- removes cancer
- replaces medication
- diagnoses illness
- guaranteed effect
- scientifically proven healing

Use instead

- radionic card pattern
- symbolic field card
- reader-compatible source card
- witness-based session
- carrier preparation
- plant or space support
- practitioner observation
- non-medical energetic work

This keeps the project aligned with real card practice without making unsupported claims.

24. Standard Trinity Radionics Quantum or Radial Card Session

Use this as the standard project workflow.

- Select the Trinity Radionics Quantum or Radial Card.
- Identify the witness.
- Write the aim.
- Place the witness on the reader or plate.

- Place the card in the card/source position.
- Check relevance by pendulum or practitioner method.
- Choose session type:
 - broadcast
 - carrier preparation
 - direct copy
 - passive plate contact
- Set a conservative time.
- Run the session.
- Stop on time.
- Remove card and witness.
- Label any carrier.
- Log the result.

This is the clean working method for the project.

25. Operating Rules

- One witness per session unless the device method specifically supports group work.
- One card first, then expand only if needed.
- Every card must have a reason.
- Use short sessions for first contact.
- Use direct mode when you want pattern transfer without setting modification.
- Use reader-setting mode only when the device and practitioner method call for it.
- Label every carrier.
- Log every session.
- Do not diagnose from cards.
- Do not replace medical, veterinary, plant, building, or practical care.

26. Final Practitioner Note

The practical card method is simple:

witness -> card -> aim -> mode -> time -> closure -> record

For Trinity Radionics Quantum and Radial Cards, keep the same discipline. Use the card as the source pattern. Use the witness to define the target. Use the reader, plate, or carrier method to define the delivery. Stop when the session is complete and write down exactly what was done.

That is the clean practitioner method for this project.